ELSEVIER

Developmental Brain Research 106 (1998) 223–224

DEVELOPMENTAL BRAIN RESEARCH

Author Index

Ambrus, A., Kraftsik, R. and Barakat-Walter, I.
Ontogeny of calretinin expression in rat dorsal root ganglia (106) 101
Arimatsu, Y. and Ishida, M.
Early patterning of the rat cerebral wall for regional organization of a neuronal population expressing latexin (106) 71

Barker, J.L., see Ma, W. (106) 155
Bickler, P.E. and Hansen, B.M.
Hypoxia-tolerant neonatal CA1 neurons: relationship of survival to evoked glutamate release and glutamate receptor-mediated calcium changes in hippocampal slices (106) 57
Brien, J.F., see Kimura, K.A. (106) 39
Bulleit, R.F., see Cui, H. (106) 129

Cabana, T., see Gingras, J. (106) 211
Carr, P.A. and Wenner, P.
Calcitonin gene-related peptide: distribution and effects on spontaneous rhythmic activity in embryonic chick spinal cord (106) 47
Code, R.A. and McDaniel, A.E.
Development of dynorphin-like immunoreactive auditory nerve terminals in the chick (106) 165
Cui, H. and Bulleit, R.F.
Potassium chloride inhibits proliferation of cerebellar granule neuron progenitors (106) 129

D'Aniello, B., see Vallarino, M. (106) 13
Ding, X.Y., see Unno, N. (106) 119
Donahue, L.M. and Reinhart, A.J.
POU domain genes are differentially expressed in the early stages after lineage commitment of the PNS-derived stem cell line, RT4-AC (106) 1
Dumm, J., see Ma, W. (106) 155
Dyck, R.H., see Gu, Q. (106) 93

Eiden, L.E., see Schütz, B. (106) 181

Fechner, R., see Richter, F. (106) 217

Gingras, J. and Cabana, T.
The development of synaptophysin-like immunoreactivity in the lumbosacral enlargement of the spinal cord of the opossum *Monodelphis domestica* (106) 211
Gu, Q., Liu, Y., Dyck, R.H., Booth, V. and Cynader, M.S.
Effects of tetrodotoxin treatment in LGN on neuromodulatory receptor expression in developing visual cortex (106) 93

Hankin, M.H., see Mi, Z.-P. (106) 145
Hansen, B.M., see Bickler, P.E. (106) 57
Haschke, W., see Richter, F. (106) 217
Hickman, J.J., see Ma, W. (106) 155
Ho, S.M. and Stirling, R.V.
Development of muscle afferents in the spinal cord of the tammar wallaby (106) 79

Izumo, S., see Wang, S.-y. (106) 205

Katada, E., see Ojika, K. (106) 173
Kimura, K.A. and Brien, J.F.
Hippocampal nitric oxide synthase in the fetal guinea pig: effects of chronic prenatal ethanol exposure (106) 39
Kraftsik, R., see Ambrus, A. (106) 101

Lagenaur, C.F., see Mi, Z.-P. (106) 145
Lehman, M.N., see Strother, W.N. (106) 137
Lehmenkühler, A., see Richter, F. (106) 217
Li, C., see Unno, N. (106) 119
Lim, C.H., see Reece, L.J. (106) 25
Liu, Y., see Gu, Q. (106) 93

Ma, W., Pancrazio, J.J., Coulombe, M., Dumm, J., Sathanoori, R.S., Barker, J.L., Kowtha, V.C., Stenger, D.A. and Hickman, J.J.
Neuronal and glial epitopes and transmitter-synthesizing enzymes appear in parallel with membrane excitability during neuroblastoma × glioma hybrid differentiation (106) 155
Manveljan, L., see Richter, F. (106) 217
Mathieu, M., see Vallarino, M. (106) 13
McDaniel, A.E., see Code, R.A. (106) 165
Mi, Z.-P., Weng, W., Hankin, M.H., Narayanan, V. and Lagenaur, C.F.
Maturational changes in cell surface antigen expression in the mouse retina and optic pathway (106) 145
Moritoyo, T., see Wang, S.-y. (106) 205
Muramatsu, T., see Wang, S.-y. (106) 205

Narayanan, V., see Mi, Z.-P. (106) 145
Nathanielsz, P.W., see Unno, N. (106) 119
Norman, A.B., see Strother, W.N. (106) 137

Ojika, K., Tsugu, Y., Mitake, S., Otsuka, Y. and Katada, E.
NMDA receptor activation enhances the release of a cholinergic differentiation peptide (HCNP) from hippocampal neurons in vitro (106) 173
Otsuka, Y., see Ojika, K. (106) 173

Pancrazio, J.J., see Ma, W. (106) 155

Rastogi, R.K., see Vallarino, M. (106) 13
Reece, L.J. and Lim, C.H.
Onset of optic nerve conduction and synaptic potentials in superior colliculus of fetal rats studied in vitro (106) 25
Richter, F., Lehmenkühler, A., Fechner, R., Manveljan, L. and Haschke, W.
Postnatal conditioning for spreading cortical depression in the rat brain (106) 217
Robinette, R., see Unis, A.S. (106) 109

Sathanoori, R.S., see Ma, W. (106) 155
Sato, E., see Wang, S.-y. (106) 205
Schäfer, M.K.-H., see Schütz, B. (106) 181
Schütz, B., Schäfer, M.K.-H., Eiden, L.E. and Weihe, E.
Vesicular amine transporter expression and isoform selection in developing brain, peripheral nervous system and gut (106) 181
Stirling, R.V., see Ho, S.M. (106) 79
Strother, W.N., Norman, A.B. and Lehman, M.N.
D1-dopamine receptor binding and tyrosine hydroxylase-immunoreactivity in the fetal and neonatal hamster suprachiasmatic nucleus (106) 137

Tsutsui, J.-i., see Wang, S.-y. (106) 205

Unis, A.S., Roberson, M.D., Robinette, R., Ha, J. and Dorsa, D.M.
Ontogeny of human brain dopamine receptors. I. Differential expression of [^{3}H]-SCH23390 and [^{3}H]-YM09151-2 specific binding (106) 109
Unno, N., Wu, W.X., Ding, X.Y., Li, C., Man A Hing, W.K.H. and Nathanielsz, P.W.
The effects of fetal adrenalectomy at 110 days gestational age on AVP and CRH mRNA expression in the hypothalamic paraventricular nucleus of the ovine fetus (106) 119

Vallarino, M., Mathieu, M., D'Aniello, B. and Rastogi, R.K.
Distribution of somatostatin-like immunoreactivity in the brain of the frog, *Rana esculenta*, during development (106) 13

Wang, S.-y., Yoshida, Y., Goto, M., Moritoyo, T., Tsutsui, J.-i., Izumo, S., Sato, E., Muramatsu, T. and Osame, M.
Midkine exists in astrocytes in the early stage of cerebral infarction (106) 205

Weng, W., see Mi, Z.-P. (106) 145
Wenner, P., see Carr, P.A. (106) 47
Wu, W.X., see Unno, N. (106) 119

Yoshida, Y., see Wang, S.-y. (106) 205